

Object Points

4th Generation Languages

- A set of high level languages
(each “generation” moves away from machine code)
- They can be distinguished between:
 - Data management tools: that allows sophisticated functions for data manipulation (examples: SAS, SPSS, Mathematica, Matlab, ABAP)
 - Report and form generation languages, that specify the data format and the output to be generated (e.g. SQL, Oracle Forms)
 - Automatic code generators from CASE tools (e.g Rails)

Object Points

- Function-related metric for 4th Generation Languages
- Computation is simpler than FP
- Some references:
 - Kauffman, Wright, Zweig, Automating Output Size and Reuse Metrics in a Repository-Based Computer Aided Software Engineering (CASE) Environment IEEE Trans. Software Engineering, 20(3), p. 169-186, 1994

Object Points Computation

- Similar to FP
- Compute the **number of screens** and classify them as simple, medium, complex
- Compute the **number of reports** and classify them as simple, medium, complex
- Count the **number of modules** that have to be developed
- Use weight matrices to sum the values above, taking into account reused code
- A formula translates OPs into productivity measures

Screen and Report Classification

Object point complexity levels for **screens**

	Number and sources of data tables		
Number of Views Contained	Total < 4	Total < 8	Total 8+
<3	simple	simple	medium
3-7	simple	medium	difficult
8+	medium	difficult	difficult

Object point complexity levels for **reports**

	Number and source of data tables		
Number of Sections Contained	Total < 4	Total < 8	Total 8+
0-1	simple	simple	medium
2-3	simple	medium	difficult
4+	medium	difficult	difficult

Source: <http://yunus.hacettepe.edu.tr/~sencer/objectp.html>

Object Points Computation

	Weight		
Type	Simple	Medium	Difficult
Screen	1	2	3
Report	2	5	7
Modules	10	10	10

$$NOP = \sum_{i=1}^3 \left[k_i^s \quad k_i^m \quad k_i^d \right] \cdot \begin{bmatrix} n_i^s \\ n_i^m \\ n_i^d \end{bmatrix} \cdot \frac{(100 - r)}{100}$$

$$EFFORT = \frac{NOP}{PROD}$$

where:

r = percentage of components reused

PROD = productivity

Productivity estimates

- Productivity **between 4 and 50 object points/month**, depending on tool support and developer capability:

Developer Experience	Very Low	Low	Nominal	High	Very High
PROD	4	7	13	25	50

Adapted from: <http://yunus.hacettepe.edu.tr/~sencer/objectp.html>

- Other works indicates up to **75 OP/MM**

Remarks

- Simple to estimate
(remember Joel Henry's approach to FP computation)
- OP takes into account reused code
(something which will also appear in some elaborations of the COCOMO model)